| Notice of Allowability | Application No. | Applicant(s) | | |
|--|-----------------------------------|--|---------|--|
| | 10/772,808 | SZAFRANIEC, BOGDAN | | |
| | Examiner | Art Unit | | |
| | Patrick J. Connolly | 2877 | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | | | |
| 1. X This communication is responsive to 14 November 2005. | | | | |
| 2. The allowed claim(s) is/are <u>1-22</u> . | | | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | | | |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date | | | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | | | |
| DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | | | |
| | · | | | |
| Attachment(s) | | | • | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal | | TO-152) | |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | | 6. Interview Summary (PTO-413), Paper No./Mail Date | | |
| 3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date 02.05.2004 | | | | |
| 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material A second control of Biological Material A second control of Biological Material | 8. ⊠ Examiner's Statem 9. □ Other | 8. Examiner's Statement of Reasons for Allowance 9. Other | | |
| | Gregory Supervisory | Trostey, Jr. | | |

Application/Control Number: 10/772,808

Art Unit: 2877

DETAILED ACTION

Allowable Subject Matter

Claims 1-22 allowed.

The following is an examiner's statement of reasons for allowance:

As to claim 1, the prior art of record, taken alone or in combination, fails to disclose or render obvious a method for analyzing optical properties including: applying a first modulation to at least a portion of a local oscillator signal; applying said local oscillator signal with said first modulation to a device under test; and optically mixing the received local oscillator signal with the first modulation with a second signal, in combination with the rest of the limitations of claim 1.

As to claim 10, the prior art of record, taken alone or in combination, fails to disclose or render obvious a system for analyzing optical properties including: a first optical signal modulator optically connected to modulate at least a portion of a local oscillator signal; a device under test interface in optical communication with said first modulator; and a system, in optical communication with said first optical signal modulator and said device under test interface, for receiving said local oscillator signal that is modulated and optically mixing said received local oscillator signal with a second signal, in combination with the rest of the limitations of claim 10.

As to claim 20, the prior art of record, taken alone or in combination, fails to disclose or render obvious a system for analyzing optical properties including: a first modulator optically connected to modulate at least a portion of a local oscillator signal; a device under test interface in optical communication with said first modulator; a second modulator optically connected to modulate at least a portion of said local oscillator signal; and an optical receiver in optical

Application/Control Number: 10/772,808

Art Unit: 2877

communication with said first modulator, said device under test interface, and said second modulator, said receiver configured to receive and optically mix said local oscillator signal having first and second modulations, in combination with the rest of the limitations of claim 20.

Page 3

Application/Control Number: 10/772,808

Art Unit: 2877

Page 4

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J. Connolly whose telephone number is 571.272.2412. The examiner can normally be reached on 9:00 am - 7:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571.272.2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

pjc PJC 03 H 40% Gregory Parany Examiner